

Swivel bracket SB000

Component specifications

Metal sheet parts: St. 37-2 Gear parts: St. 70-2

Gear motor: FUI 24V 110040

Power supply: 90W AC SMPS Power Transformer Consumption: 2 Watts; Standby: 0,01 Watts

Plastic components: POM, PEHD, ABS

Surface treatment: Visible metal parts powder coated in RAL 9004 (black)

Non visible metal parts are surface treated (e.c. zinc plated)

Remote control: Radio wave remote control (will also operate leg DF019 when used combined)


Angle of swivel: +/- 45 degrees

Weight capacity: 50 kg

The unit is powder coated in RAL 9004 (black).

Fits Vesa std.:


50x50 75x75 100x100 100x200














Inspiration for motorized TV stands



Electric swivel foot, black

A small swivel foot, which is ideal when placing the TV on a table, cupboard, bookcase etc.

Includes:

SB000 7BXX1 Electric swivel bracket, black

SS001 Swivel stand, black

SF004 XB Foot for swivel stand, black

Accessories:

MB000 B1: Monitor bracket, black



Electric swivel lift, black

An electric swivel lift with a superior design. Control both the height and angle of your flat panel TV with a remote control unit.

Includes:

SB000 7BXX1 Electric swivel bracket, black

DF019 7SXX1 Electric leg, silver SF002 XB Foot for swivel lift, black

Accessories:

MB000 B1: Monitor bracket

MB001 B1: Monitor bracket, 800 mm



Electric swivel lift, Black

Includes:

SB000 7BXX1 Electric swivel bracket, black

DF019 7SXX1 Electric leg, silver

SF001 XB Foot for swivel lift, black

Accessories:

MB000 B1: Monitor bracket

MB001 B1: Monitor bracket, 800 mm

SF004 X4: 4 wheels



Accessory for SB000: DF019

This column is the solution for the furniture manufacturer, who wants to design and produce their own height adjustable

systems. Extremly rigid construction in all load directions. Easy to adapt due to M6 treads at both ends.

The column is adjustable within the height range of 66-118cm. Powder coated in RAL9006. (Telescopic part comes in black)

Plug and play. Fitted with power supply (100-240 VAC) and control unit. Stand-alone product.





